

Lista de las publicaciones más destacadas de Thomas Jentsch:

Jentsch T.J.

[Discovery of CLC transport proteins: cloning, structure, function and pathophysiology.](#)

J Physiol. 2015 Sep;593(18):4091-109. doi: 10.1113/JP270043. Epub 2015 Aug 24.

Voss F.K., Ullrich F., Münch J., Lazarow K., Lutter D., Mah N., Andrade-Navarro M.A., von Kries J.P., Stauber T., Jentsch T.J. (2014).

Identification of LRRC8 heteromers as an essential component of the volume-regulated anion channel VRAC.

Science 244, 634-638. (published as Express on April 10)

Jeworutzky E., López-Hernández, T., Capdevila-Nortes X., Sirisi S., Bengtsson L., Montolio M., Zifarelli G., Müller C.S., Schulte U., Nunes V., Martínez A., Jentsch T.J., Gasull X., Pusch M., Estévez R. (2012).

GlialCAM, a protein defective in a leukodystrophy, serves as a CIC-2 Cl⁻ channel auxiliary subunit.

Neuron 73, 951-961.

Seja P., Schonewille M., Spitzmaul G., Badura A., Klein I., Rudhard Y., Wisden W., Hübner C.A., de Zeeuw C.I., Jentsch T.J. (2012).

Raising cytosolic Cl⁻ in cerebellar granule cells affects their excitability and vestibulo-ocular learning.

EMBO J. 31,1217-1230.

Heidenreich M., Lechner S.G., Vardanyan V., Wetzel C., Cremers C.W., De Lenheer E.M., Aránguez G., Moreno-Pelayo M.A., Jentsch T.J., Lewin G.R. (2012).

KCNQ4 K⁺ channels tune mechanoreceptors for normal touch sensation in mouse and man.

Nature Neurosci. 15, 138-145.

Billig G.M., Pál B., Fidzinski P., Jentsch T.J. (2011).

Ca²⁺-activated Cl⁻ currents are dispensable for olfaction.

Nature Neurosci 14, 763-749.

Weinert S., Jabs S., Supancharat C., Schweizer M., Gimber N., Richter M., Rademann J., Stauber T., Kornak U., Jentsch T.J. (2010).

Lysosomal pathology and osteopetrosis upon loss of H⁺-driven lysosomal Cl⁻ accumulation.

Science 328, 1401-1403.

Novarino G., Weinert S., Rickheit G., Jentsch T.J. (2010).

Endosomal chloride-proton exchange rather than chloride conductance is crucial for renal endocytosis.

Science 328, 1398-1401.

Tzingounis A.V., Heidenreich M., Kharkovets T., Spitzmaul G., Jensen H.S., Nicoll R.A., Jentsch T.J. (2010).

The KCNQ5 potassium channel mediates a component of the afterhyperpolarization current in mouse hippocampus.

Proc. Natl. Acad. Sci USA 107, 10232-10237.

Rickheit G., Maier H., Strenzke N., Andreescu C.E., De Zeeuw C.I., Zdebik A.A., Jentsch T.J. (2008).

Endocochlear potential depends on Cl⁻ channels: mechanism underlying deafness in Bartter syndrome IV.

EMBO J. 27, 2907-2917.

Poët M., Kornak U., Schweizer M., Zdebik A.A., Scheel O., Hoelter S., Wurst W., Schmitt A., Fuhrmann J.C., Planells-Cases R., Mole S.E., Hübner C.A., Jentsch T.J. (2006).

Lysosomal storage disease upon disruption of the neuronal chloride transport protein CIC-6.

Proc. Natl. Acad. Sci. U S A. 103, 13854-13859.

Lange P.F., Wartosch L., Jentsch T.J., Fuhrmann J.C. (2006).

CIC-7 requires Ostm1 as a β -subunit to support bone resorption and lysosomal function.

Nature 440, 220-223.

Rust M.B., Faulhaber J., Budack M.K., Pfeffer C., Maritzen T., Didié M., Beck F.X., Boettger T., Schubert R., Ehmke H., Jentsch T.J., Hübner C.A. (2006).

Neurogenic mechanisms contribute to hypertension in mice with disruption of the K-Cl cotransporter KCC3.

Circ. Res. 98, 549-556.

Scheel O., Zdebik A.A., Lourdel S., Jentsch T.J. (2005).

Voltage-dependent electrogenic chloride/proton exchange by endosomal CLC proteins.

Nature 436, 424-427.

Kasper D., Planells-Cases R., Fuhrmann J.C., Scheel O., Zeitz O., Ruether K., Schmitt A., Poët M., Steinfeld R., Schweizer M., Kornak U., Jentsch T.J. (2005).

Loss of the chloride channel CIC-7 leads to lysosomal storage disease and neurodegeneration.

EMBO J. 24, 1079-1091.

Estévez R., Schroeder B.C., Accardi A., Jentsch T.J., Pusch M. (2003).

Conservation of chloride channel structure revealed by an inhibitor binding site in CIC-1.

Neuron 38, 47-59.

Boettger T., Hübner C.A., Maier H., Rust M.B., Beck F.X., Jentsch T.J. (2002).

Deafness and renal tubular acidosis in mice lacking the K-Cl co-transporter KCC4.

Nature 416, 874-878.

Estévez R., Boettger T., Stein V., Birkenhäger R., Otto E., Hildebrandt F., Jentsch T.J. (2001).

Barttin is a Cl⁻ channel β -subunit crucial for renal Cl⁻ reabsorption and inner ear K⁺ secretion.

Nature 414, 558-561.

Betz R.C., Schoser B.G., Kasper D., Ricker K., Ramírez A., Stein V., Torbergesen T., Lee Y.A., Nothen M.M., Wienker T.F., Malin J.P., Propping P., Reis A., Mortier W., Jentsch T.J., Vorgerd M., Kubisch C. (2001)

Mutations in CAV3 cause mechanical hyperirritability of skeletal muscle in rippling muscle disease.

Nature Genet. 28, 218-219.

Hübner C.A., Stein V., Hermans-Borgmeyer I., Meyer T., Ballanyi K., Jentsch T.J. (2001)

Disruption of KCC2 reveals an essential role of K-Cl-cotransport already in early synaptic inhibition.

Neuron 30, 515-524.

Kornak U., Kasper D., Bösl M.R., Kaiser E., Schweizer M., Schulz A., Friedrich W., Delling G., Jentsch T.J. (2001)

Loss of the CIC-7 chloride channel leads to osteopetrosis in mice and man.

Cell 104, 205-215.

Stobrawa S.M., Breiderhoff T., Takamori S., Engel D., Schweizer M., Zdebik A.A., Bösl M.R., Ruether K., Jahn H., Draguhn A., Jahn R., Jentsch T.J. (2001)

Disruption of CIC-3, a chloride channel expressed on synaptic vesicles, leads to a loss of the hippocampus.

Neuron 29, 185-196.

Piwon N., Günther W., Schwake M., Bösl M.R., Jentsch T.J. (2000)

CIC-5 Cl⁻-channel disruption impairs endocytosis in a mouse model for Dent's disease.

Nature 408, 369-373.

Kornak U., Schulz A., Friedrich W., Uhlhaas S., Kremens B., Voit T., Hasan C., Bode U., Jentsch T.J., Kubisch C. (2000)

Mutations in the $\alpha 3$ subunit of the vacuolar H⁺-ATPase cause infantile malignant osteopetrosis.

Hum. Mol. Genet. 13, 2059-2063.

Schroeder B.C., Waldegger S., Fehr S., Bleich M., Warth R., Greger R., Jentsch T.J. (2000)

A constitutively open potassium channel formed by KCNQ1 and KCNE3.

Nature 403, 196-199.

Kubisch C., Schroeder B.C., Friedrich T., Lütjohann B., El-Amraoui A., Marlin S., Petit C., Jentsch T.J. (1999)

KCNQ4, a novel potassium channel expressed in sensory outer hair cells, is mutated in dominant deafness.

Cell 96, 437-446.

Schroeder B. C., Kubisch C., Stein V., Jentsch T. J. (1998)

Moderate loss of function of cyclic-AMP-modulated KCNQ2/KCNQ3 K⁺ channels causes epilepsy.

Nature 396, 687-690.

Biervert C., Schroeder B.C., Kubisch C., Berkovic S.F., Propping P., Jentsch T.J., Steinlein O.K. (1998)

A potassium channel mutation in neonatal human epilepsy.

Science 279, 403-406.

Ludwig U., Pusch M., Jentsch T.J. (1996).

Two physically distinct pores in the dimeric CIC-0 chloride channel.

Nature 383, 340-343.

Lloyd S.E., Pearce S.H.S., Fisher S.E., Steinmeyer K., Schwappach B., Scheinman S.S., Harding B., Bolino M., Devoto M., Goodyer P., Rigden S.P.A., Wrong O., Jentsch T.J., Craig I.W., Thakker R.V. (1996).

A common molecular basis for three inherited kidney stone diseases.

Nature 379, 445-449.

Pusch M., Ludwig U., Rehfeldt A., Jentsch T.J. (1995).

Gating of the voltage-dependent chloride channel CIC-0 by the permeant anion.

Nature 373, 527-531.

Gründer S., Thiemann A., Pusch M., Jentsch T.J. (1992).

Regions involved in the opening of CIC-2 chloride channel by voltage and cell volume.

Nature 360, 759-762.

Koch M.C., Steinmeyer K., Lorenz C., Ricker K., Wolf F., Otto M., Zoll B., Lehmann-Horn F., Grzeschik K.H., Jentsch T.J. (1992).

The skeletal muscle chloride channel in dominant and recessive human myotonia.

Science 257, 797-800.

Thiemann A., Gründer S., Pusch M., Jentsch T.J. (1992).

A chloride channel widely expressed in epithelial and non-epithelial cells.

Nature 356, 57-60.

Steinmeyer K., Klocke R., Ortland C., Gronemeier M., Jockusch H., Gründer S., Jentsch T.J. (1991).

Inactivation of muscle chloride channel by transposon insertion in myotonic mice.

Nature 354, 304-308.

Steinmeyer K., Ortland C., Jentsch T.J. (1991).

Primary structure and functional expression of a developmentally regulated skeletal muscle chloride channel.

Nature 354, 301-304.

Jentsch T.J., Steinmeyer K., Schwarz, G. (1990).

Primary structure of *Torpedo marmorata* chloride channel isolated by expression cloning in *Xenopus* oocytes.

Nature 348, 510-514.